

Low Level Path Lighting

Lanea Path Lighting Bollard with PIR sensor.

Benefits :


- LED mains wired.
- Low level height, only 40cm high.
- LED bulbs installed into this pillar lamp are in such a manner that they shine downwards onto cascading reflectors, keeping all light at low level.
- Integrated PIR sensor, keeping light levels low and only on when required.
- Range 2-8metres, set at 5m as shown.
- Lighting duration (5 seconds to 6 minutes) are configurable.
- Detects movement at an angle of 90 degrees .



GLampitect

W: WWW.GLAMPITECT.CO.UK
E: CONTACT@GLAMPITECT.CO.UK
T: 0131 202 9002


KEY TO SYMBOLS



| Date | Description | Rev | By |
|------|-------------|-----|----|
| | | | |

Revision Description

LOCATION PLAN 1:7500



Project:
Proposed Glamping Site - For Stephen Thompson
Crump Hillocks Farm, Four Ashes, Nr Stourbridge
DY7 5JG

Drawing Title:
LIGHTING PLAN

Drawing Number:
210534-01-08

Revision:
Date: 13.10.2022
Scale: 1:250 @ A1
Drawn By: EF
CAD Dwg File: -
Checked By: EC

Issue Status:
Full Planning Application



OWNERSHIP BOUNDARY
AREA = 5,813,644 m2



SITE BOUNDARY
SITE AREA = 8,476m2

